

## 31 Fiberglass Membrane

### DESCRIPTION:

Karnak #31 Fiber Glass Membrane is a waterproofing fabric woven entirely of fiberglass yarn. It is ideal for use with cold application cements and coatings, and being of high flexibility, conforms to all contours and bends as required in general roofing and waterproofing maintenance.

### SPECIFICATIONS:

ASTM D-1668, Fed. Spec. HH-C466b.

### PHYSICAL PROPERTIES:

(oz. /sq. /yd):	2.00
(lbs./36" x 150' roll):	6.5
Thread Count per Inch:	20 x 10

### TENSILE STRENGTH:

Warp (lbs./lineal inch):	75
Fill (lbs./lineal inch):	75

### COMPATIBILITY:

Karnak #31 Fiber Glass Membrane is treated with a synthetic resin in the proper balance to give complete compatibility with asphalt or tar and all accepted waterproofing and coating compounds.

### ADVANTAGES:

- Contour flexibility without cracking
- High tensile strength
- Will not mildew, rot or decay
- Acid and alkali resistant

Weight and tensile strength figures are nominal values. Production variations limited to plus or minus 10% of these figures.

### PACKAGING:

ROLL SIZE	ROLLS/CARTON
36" X 150'	6
18' X 150'	6
12' X 150'	6
9" X 150'	12
6" X 150'	12
4" X 150'	18

# KARNAK

330 CENTRAL AVENUE, CLARK, NJ 07066  
732-388-0300 • 800-526-4236 • FAX: 732-388-9422  
WEB: <http://www.karnakcorp.com>